

```
/*
```

Common CSS for all skins

Notice to Administrators!

Any changes to Monobook.css or **Common.css** should be first proposed to Wikipedia:Village Pump.

Always check with the W3C CSS Validation Service (CVS version) after any changes.

Thank you.

(In Mozilla and Opera, you can test style changes dynamically with the test styles bookmarklet from squarefree.com. It pops up a window for adding style rules, and updates the page as you type.)

See also the catalogue of CSS classes. Sablon:Interwiki-all

```
*/
```

```
/* Main page fixes */
```

```
.interwiki-completelist {  
    font-weight: bold;  
}
```

```
/* make the list of references look smaller */
```

```
ol.references {  
    font-size: 100%;  
}
```

```
.references-small { font-size: 90%;}
```

```
/* VALIDATOR NOTICE: the following is correct, but the W3C validator doesn't accept it */
```

```
/* -moz-* is a vendor-specific extension (CSS 2.1 4.1.2.1) */
```

```
/* column-count is from the CSS3 module "CSS Multi-column Layout" */
```

```
/* Please ignore any validator errors caused by these two lines */
```

```
.references-2column {  
    font-size: 90%;  
    -moz-column-count:2;  
    column-count:2;  
}
```

```
.same-bg { background: none }
```

```
/* Highlight clicked reference in blue to help navigation */
```

```
ol.references > li:target {  
    background-color: #DEF;  
}
```

```
/* wikitable/prettytable class for skinning normal tables */
```

```
table.wikitable,  
table.prettytable {  
    margin: 1em 1em 1em 0;  
    background: #f9f9f9;  
    border: 1px #aaa solid;  
    border-collapse: collapse;  
}
```

```
table.wikitable th, table.wikitable td,
```

MediaWiki:Common.css

```
table.prettytable th, table.prettytable td {
    border: 1px #aaa solid;
    padding: 0.2em;
}

table.wikitable th,
table.prettytable th {
    background: #f2f2f2;
    text-align: center;
}

table.wikitable caption,
table.prettytable caption {
    margin-left: inherit;
    margin-right: inherit;
    font-weight: bold;
}

/* default skin for navigation boxes */
table.navbox {
    background-color: #f9f9f9;
    border: 1px solid #aaa;
    clear: both;
    font-size: 90%;
    margin: 1em 0em 0em;
    padding: 5px;
    text-align: center;
    width: 100%;
}

table.navbox th {
    background-color: #ccf;
    padding-left: 1em;
    padding-right: 1em;
}

table.navbox tr:not(:first-child) th {
    background-color: #ddf;
}

@media print {
    .navbox {
        display: none;
    }
}

/* Infobox template style */

.infobox {
    border: 1px solid #aaa;
    background-color: #f9f9f9;
    color: black;
    margin-bottom: 0.5em;
    margin-left: 1em;
    padding: 0.2em;
    float: right;
    clear: right;
}

.infobox td,
.infobox th {
    vertical-align: top;
}

.infobox caption {
    font-size: larger;
}
```

MediaWiki:Common.css

```
    margin-left: inherit;
}
.infobox.bordered {
    border-collapse: collapse;
}
.infobox.bordered td,
.infobox.bordered th {
    border: 1px solid #aaa;
}
.infobox.bordered .borderless td,
.infobox.bordered .borderless th {
    border: 0;
}

.infobox.sisterproject {
    width: 20em;
    font-size: 90%;
}

@media print {
    .infobox.sisterproject {
        display: none;
    }
}

/* styles for bordered infobox with merged rows */
.infobox.bordered .mergedtoprow td,
.infobox.bordered .mergedtoprow th {
    border: 0;
    border-top: 1px solid #aaa;
    border-right: 1px solid #aaa;
}

.infobox.bordered .mergedrow td,
.infobox.bordered .mergedrow th {
    border: 0;
    border-right: 1px solid #aaa;
}

/* styles for geography infoboxes, e.g. countries, country subdivisions, cities, etc. */

.infobox.geography {
    text-align: left;
    border-collapse: collapse;
    line-height: 1.2em;
    font-size: 90%;
}

.infobox.geography td,
.infobox.geography th {
    border-top: solid 1px #aaa;
    padding: 0.4em 0.2em 0.4em 0.8em;
}

.infobox.geography .mergedtoprow td,
.infobox.geography .mergedtoprow th {
    border-top: solid 1px #aaa;
    padding: 0.4em 0.2em 0.2em 0.8em;
}

.infobox.geography .mergedrow td,
.infobox.geography .mergedrow th {
    border: 0;
    padding: 0 0.2em 0.2em 0.8em;
}
```

MediaWiki:Common.css

```
}
```

```
.infobox.geography .mergedbottomrow td,  
.infobox.geography .mergedbottomrow th {  
    border-top: 0;  
    border-bottom: solid 1px #aaa;  
    padding: 0 0.2em 0.4em 0.8em;  
}
```

```
.infobox.geography .mactable td,  
.infobox.geography .mactable th {  
    border: 0;  
    padding: 0 0 0 0;  
}
```

```
/* Style for "notices" */
```

```
.notice {  
    margin: 1em;  
    padding: 0.2em;  
}
```

```
#disambig {  
    border-top: 1px solid #ccc;  
    border-bottom: 1px solid #ccc;  
}
```

```
#spoiler {  
    border-top: 2px solid #ddd;  
    border-bottom: 2px solid #ddd;  
}
```

```
/* Standard talk template style */
```

```
.Talk-Notice {  
    border: 1px solid #C0C090;  
    background-color: #F8EABA;  
    margin-bottom: 3px;  
    width: 85%;  
    border-spacing: 3px;  
    margin-left: auto;  
    margin-right: auto;  
}
```

```
.Talk-Notice:after {  
    content: "The CSS for this template should be changed. See [[Wikipedia:Template Standardisation]]";  
}
```

```
/* Make template background appear correctly on all browsers */
```

```
.Talk-Notice td {  
    background: inherit;  
}
```

```
/* Persondata */
```

```
table.persondata {  
    border: 1px solid #aaa;  
    display: none;  
    speak: none;  
}  
.persondata-label {  
    color: #aaa;  
}
```

```
/* Makes redirects appear in italics on [[Special:Allpages]] */
```

```
.allpagesredirect {
```

MediaWiki:Common.css

```
    font-style: italic;
}

/* Choose whether to have AD/BC dates or CE/BCE dates*/

/* First, the default : display both : See templates ADCE and BCEBC for how these are used*/
.Use_Default_Date_Convention { display: inline; }
.Use_AD_and_BC { display: none; }
.Use_BCE_and_CE { display: none; }

/* If you want to display AD and BC add the following to User:You/monobook.css page */
/*
.Use_Default_Date_Convention { display: none; }
.Use_AD_and_BC { display:inline; }
.Use_BCE_and_CE { display:none; }
*/

/*If you want to display CE and BCE add the following to User:You/monobook.css page */
/*
.Use_Default_Date_Convention { display: none; }
.Use_AD_and_BC { display:none; }
.Use_BCE_and_CE {display:inline; }
*/

/* Class for links with loudspeaker icon next to them */

.audiolink a{
    background: url("http://upload.wikimedia.org/wikipedia/commons/thumb/8/8a/Loudspeaker.svg/11px")
    padding-left: 16px !important;
    padding-right: 0 !important;
}

/* Icons for medialist templates [[Template:Listen]], [[Template:Multi-listen_start]], [[Template:
div.listenlist {
    background: url("http://upload.wikimedia.org/wikipedia/commons/thumb/a/a6/Gnome-speakernotes.p
    padding-left: 40px;
}

div.videolist, div.multivideolist {
    background: url("http://upload.wikimedia.org/wikipedia/en/thumb/2/20/Tango-video-x-generic.png
    padding-left: 50px;
}

/* Style rules for media list templates */

div.medialist {
    min-height: 50px;
    margin: 1em;
    background-position: top left;
    background-repeat: no-repeat;
}

div.medialist ul {
    list-style-type: none;
    list-style-image: none;
    margin: 0;
}

div.medialist ul li {
    padding-bottom: 0.5em;
}

div.medialist ul li li {
```

MediaWiki:Common.css

```
font-size: 91%;
padding-bottom: 0;
}

/* Change the external link icon to an Adobe icon for all PDF files */
/* (in browsers that support these CSS selectors, like Mozilla and Opera) */
#bodyContent a[href$=".pdf"].external,
#bodyContent a[href*=".pdf?"].external,
#bodyContent a[href*=".pdf#"].external,
#bodyContent a[href$=".PDF"].external,
#bodyContent a[href*=".PDF?"].external,
#bodyContent a[href*=".PDF#"].external {
    background: url(http://upload.wikimedia.org/wikipedia/commons/thumb/2/23/Icons-mini-file_acrob
padding-right: 16px;
}

/* Change the external link icon to an Adobe icon anywhere the PDFlink class */
/* is used (notably Template:PDFlink). This works in IE, unlike the above. */
span.PDFlink a {
    background: url(http://upload.wikimedia.org/wikipedia/commons/thumb/2/23/Icons-mini-file_acrob
padding-right: 17px !important;
}

/* Content in columns with CSS instead of tables [[Template:Columns]] */
div.columns-2 div.column {
    float: left;
    width: 50%;
    min-width: 300px;
}

div.columns-3 div.column {
    float: left;
    width: 33.3%;
    min-width: 200px;
}

div.columns-4 div.column {
    float: left;
    width: 25%;
    min-width: 150px;
}

div.columns-5 div.column {
    float: left;
    width: 20%;
    min-width: 120px;
}

/*Add formatting to make sure that "external references" from [[Template:Ref]] do
not get URL expansion, not even when printed. The mechanism up to MediaWiki 1.4 was
that the HTML code contained a SPAN following the anchor A; this SPAN had the class
"urlexpansion", which was not displayed on screen, but was shown when the medium was
"print". The rules below ensure (a) that there is no extra padding to the right of
the anchor (displayed as "[<number>]"), (b) that there is no "external link arrow" for
the link, and (c) that this SPAN of class "urlexpansion" is never shown.
~~~~~
*/

.plainlinksneverexpand {
    background: none ! important;
    padding: 0 ! important;
}

.plainlinksneverexpand .urlexpansion {
```

MediaWiki:Common.css

```
display: none ! important;
}

/* Make sure that ext links displayed within "plainlinksneverexpand" don't get
the arrow...
*/
.plainlinksneverexpand a {
background: none !important;
padding: 0 !important;
}

/* With MediaWiki 1.5, the mechanism has changed: instead of a SPAN of class "urlexpansion"
following the anchor A, the anchor itself now has class "external autonumber" and the
expansion is inserted when printing (see the common printing style sheet at
http://en.wikipedia.org/skins-1.5/common/commonPrint.css) using the ":after" pseudo-
element of CSS. We have to switch this off for links due to Template:Ref!
~~~~
*/
.plainlinksneverexpand a.external.text:after {
display: none !important;
}
.plainlinksneverexpand a.external.autonumber:after {
display: none !important;
}

/* Messagebox templates */

.messagebox {
border: 1px solid #aaa;
background-color: #f9f9f9;
width: 80%;
margin: 0 auto 1em auto;
padding: .2em;
}
.messagebox.merge {
border: 1px solid #c0b8cc;
background-color: #f0e5ff;
text-align: center;
}
.messagebox.cleanup {
border: 1px solid #9f9fff;
background-color: #efefff;
text-align: center;
}
.messagebox.standard-talk {
border: 1px solid #c0c090;
background-color: #f8eaba;
}

/* Put a checker background at the image description page only visible if the image has transparent
#file img {background: url("http://upload.wikimedia.org/wikipedia/commons/5/5d/Checker-16x16.png")}

/* Support for Template:IPA, Template:Unicode and Template:Polytonic. The inherit declaration rese
.IPA {
font-family: "Chrysanthi Unicode", "Doulos SIL", Gentium, GentiumAlt, Code2000, "TITUS Cyb
font-family /**/:inherit;
}
.Unicode {
font-family: Code2000, "TITUS Cyberbit Basic", "Doulos SIL", "Chrysanthi Unicode", "Bitstr
font-family /**/:inherit;
}
.latinx {
font-family: Code2000, "TITUS Cyberbit Basic", "Microsoft Sans Serif";
```

MediaWiki:Common.css

```
    font-family /**/:inherit;
}
.polytonic {
    font-family: Athena, Gentium, "Palatino Linotype", "Arial Unicode MS", "Lucida Sans Unicod
    font-family /**/:inherit;
}
.mufi {
    font-family: Alphetum, Cardo, LeedsUni, Junicode, "TITUS Cyberbit Basic", ALPHA-Demo;
}

#wpSave {
    font-weight: bold;
}

/* class hiddenStructure is defunct. See [[Wikipedia:hiddenStructure]] */
.hiddenStructure {
    display: inline ! important;
    color: #f00;
    background-color: #0f0;
}

/* Removes underlines from links */
.nounderlines a {
    text-decoration: none;
}

/* Remove underline from IPA links */
.IPA a:link, .IPA a:visited {
    text-decoration: none;
}

/* Removes useless links from printout */
@media print {
    #privacy, #about, #disclaimer {display:none;}
}

#EnWpMpBook { background-image: url(http://upload.wikimedia.org/wikipedia/en/7/7e/MP-open-book.png)
#EnWpMpSearch { background: url(http://upload.wikimedia.org/wikipedia/en/a/ae/MP-magnifying-glass.
#EnWpMpSearchInner { float: right; width: 20em; text-align: center; }
#EnWpMpBook2 { background-image: url(http://upload.wikimedia.org/wikipedia/commons/8/8e/MP-open-bo

.messagebox.small-talk {
    width: 238px;
    font-size: 85%;
    float: right;
    clear: both;
    margin: 0 0 1em 1em;
    line-height: 1.25em;
    background: #F8EABA;
}

/* Standard Navigationsleisten, aka box hiding thingy from .de. Documentation at [[Wikipedia:NavF

div.Boxmerge,
div.NavFrame {
    margin: 0px;
    padding: 2px;
    border: 1px solid #aaa;
    text-align: center;
    border-collapse: collapse;
    font-size: 95%;
}
div.Boxmerge div.NavFrame {
    border-style: none;
```


MediaWiki:Common.css

```
        border-style: hidden;
    }
div.NavFrame + div.NavFrame {
    border-top-style: none;
    border-top-style: hidden;
}
div.NavPic {
    background-color: #fff;
    margin: 0px;
    padding: 2px;
    float: left;
}
div.NavFrame div.NavHead {
    height: 1.6em;
    font-weight: bold;
    font-size: 100%;
    background-color: #efefef;
    position: relative;
}
div.NavFrame p {
    font-size: 100%;
}
div.NavFrame div.NavContent {
    font-size: 100%;
}
div.NavFrame div.NavContent p {
    font-size: 100%;
}
div.NavEnd {
    margin: 0px;
    padding: 0px;
    line-height: 1px;
    clear: both;
}
a.NavToggle {
    position: absolute;
    top: 0px;
    right: 3px;
    font-weight: normal;
    font-size: smaller;
}

/* Coloured watchlist numbers */
.mw-plusminus-pos {
    color: darkgreen;
}

/* .mw-plusminus-null currently at developer default */

.mw-plusminus-neg {
    color: darkred;
}

.dablink {
    font-style: italic;
    padding-left: 2em;
}

/*
*/
```